



MARCH - 2017

Kajaria 
ROOFING TILES FROM KAJARIA



YOUR SWEET HOME DESERVES
UNMATCHED STRENGTH AND BEAUTY FROM THE OUTSIDE.



High strength
& durability



Corrosion resistant
& fireproof



Water resistant



Soundproof



Heat insulation



Maintenance free

Kajaria **ROOF**
ROOFING TILES FROM KAJARIA



Shingles Brown



Shingles Grey



Grey Matt



Grey Glossy



Coffee Brown




Double Shade



Terracotta

Accessories





PACKING DETAILS			
S. NO.	SIZE	Pcs. / Box	Weight / Box
01	30x40 CM	9 Pcs.	21 Kg.

TEST REPORT NO. 21201208657			
S. NO.	TEST ITEM	TEST RESULTS	TEST METHOD
01	Water Absorption	Average : 8.5% /Maximum : 8.9%	GB/t3810.3-2006
02	Breaking Strength	5209N	GB/t3810.4-2006
03	Modulus Of Rupture	Average : 120Mpa / Maximum : 117Mpa	GB/t3810.4-2006
04	Thermal Shock Resistance	Fully resistant	GB/t3810.9-2006
05	Crazing Resistance	No craze	GB/t3810.11-2006
06	Resistance To Frost	No craze or peeling	GB/t3810.12-2006
07	Resistance To Low Concentrations Of Acids	GLA	GB/t3810.13-2006
08	Resistance To Household Chemicals And Swimming Pool Salts	GA	GB/t3810.13-2006
09	Resistance To Staining	Class 5	GB/t3810.14-2006



Kajaria Ceramics Limited

Corporate Office: J1/B1(Extn.), Mohan Co-op Industrial Estate, Mathura Road, New Delhi-110044, Ph.:+91-11-26946409, Fax: +91-11-26946407

Regd Office: SF-11, Second Floor, JMD Regent Plaza, Mehrauli Gurgaon Road, Village Sikanderpur Ghosi, Gurgaon-122001, Haryana, Ph.: +91-0124-4081281

CIN No.: L26924HR1985PLC056150, E-mail: info@kajariaceramics.com, Web.: www.kajariaceramics.com

 facebook.com/KajariaCeramicsLimited  twitter.com/KajariaCeramic, Tollfree : 1800-11-2992

Download Kajaria App  